

Publikationen von PD Dr. med. Daniel Ackermann

Originalartikel:

Associations of 24-h urinary excretion of heavy metals and trace elements with estimated glomerular filtration rate and chronic kidney disease.

Xie S, Thomas A, Ponte B, **Ackermann D**, Pruijm M, Bochud M, Marques-Vidal P.
Sci Rep. 2026 Apr 29;16(1):20025. doi: 10.1038/s41598-026-51034-8.

Interplay between Uromodulin Excretion and Water Balance in the General Adult Population.

Jaques DA, Pasquier T, Pruijm M, **Ackermann D**, Bochud M, Devuyst O, Ponte B.
Physiol Rep. 2026 Apr;14(7):e70844. doi: 10.14814/phy2.70844.

Associations of plasma concentrations of heavy metals and trace elements with estimated glomerular filtration rate and chronic kidney disease: a population-based study

Xie S, Thomas A, Ponte B, **Ackermann D**, Pruijm M, Marques-Vidal P, Bochud M.
Clin Kidney J. 2026 Mar 18;19(4):sfaf383. doi: 10.1093/ckj/sfaf383..

Genetic determinants of zinc homeostasis and its role in cardiometabolic diseases.

Sadler M, Ghobril JP, Borisov O, Perrais M, Schiano G, Petrovic D, Ha E, Ponte B, Li Y, Rodriguez-Hernandez Y, Pruijm M, **Ackermann D**, Guessous I, Stringhini S, Ehret G, Corre T, Vogt B, Martin PY, Ongen H, Dermitzakis E, Williams JE, Murdoch BM, McGuire MK, Meehan CL, INSPIRE Consortium, Lenglet S, Susztak K, Vaucher J, Thomas A, Devuyst O, Kottgen A, Bochud M, Kutalik Z
PLoS Genet. 2025 Dec 1;21(12):e1011928.

Association of mid-regional pro-adrenomedullin with office and 24-hour ambulatory blood pressure in a Swiss general population sample

Baldwin J, Burnier M, Ponte B, **Ackermann D**, Pruijm M, Vogt B, Bochud M
J Hypertens. 2024 Dec 1;42(12):2187-2195.

Swiss Salt Study 2, second survey on salt consumption in Switzerland: Main results

Chelbi CT, Gianini J, Gagliano V, Theiler K, Alonzo GL, Marot P, **Ackermann D**, Durrer I, Beuschlein F, Suter P, Vogt B, Gabutti L, Wuerzner G, Bochud M
European Food Safety Authority. 2024 <https://doi.org/10.2903/fr.efsa.2024.FR-0031>

No extra-adrenal aldosterone production in various human cell lines

Durrer I, **Ackermann D**, Klossner R, Grössl M, Vögel C, Du Toit T, Vogt B, Jamin H, Mohaupt M, Gennari-Moser C
Journal of Molecular Endocrinology 2024 Apr 1; 72(3).

The Urine-to-Plasma Urea Concentration Ratio is associated with eGFR and eGFR decline over time in a population cohort

Petrovic D, Bankir L, Ponte B, Pruijm M, Corre T, Ghobril JP, Bouatou Y, **Ackermann D**, Vogt B, Bochud M
Nephrol Dial Transplant. 2023 Dec 20;39(1):122-132.

Adenine-induced nephropathy reduces atherosclerosis in ApoE knockout mice.

Scherler L, Verouti SN, **Ackermann D**, Vogt B, Escher G.
Biomolecules. 2022 Aug 19;12(8):1147. doi: 10.3390/biom12081147.

Increased glucocorticoid metabolism in diabetic kidney disease.

Ackermann D, Vogt B, Bochud M, Burnier M, Martin PY, Paccaud F, Ehret G, Guessous I, Ponte B, Pruijm M, Pechère-Bertschi A, Jamin H, Klossner R, Dick B, Mohaupt MG, Gennari-Moser C.
PLoS One. 2022 Jun 24;17(6):e0269920.

Changes of lipoprotein(a) levels with endogenous steroid hormones.

Tessitore E, Dobretz E, Dhayat N, Kern I, Ponte B, Pruijm M, **Ackermann D**, Estoppey S, Burnier M, Martin PY, Vogt B, Vuilleumier N, Bochud M, Mach F, Ehret G.

Eur J Clin Investigation. 2022 Feb;52(2):e13699

Heritability and association with distinct genetic loci of erythropoietin levels in the general population.

Corre T, Ponte B, Pivin E, Pruijm M, **Ackermann D**, Ehret G, Spanaus K, Bochud M, Wenger RH.

Haematologica. 2021 Sep 1;106(9):2499-2501.

Sex- and age-specific reference intervals for diagnostic ratios reflecting relative activity of steroidogenic enzymes and pathways in adults.

Rousson V, **Ackermann D**, Ponte B, Pruijm M, Guessous I, d'Uscio CH, Ehret G, Escher G, Pechère-Bertschi A, Groessl M, Martin PY, Burnier M, Dick B, Bochud M, Vogt B, Dhayat NA.

PLoS One. 2021 Jul 8;16(7):e0253975.

Uromodulin, salt and 24-hour blood pressure in the general population

Ponte B, Pruijm M, **Ackermann D**, Ehret G, Guessous I, Bouatou Y, Olinger E, Youhanna S, Paccaud F, Vogt B, Burnier M, Pechère-Bertschi A, Martin PY, Bochud M* and Devuyst O*.

Clin J Am Soc Nephrol. 2021 May 8;16(5):787-789.

Parathyroid hormone and plasma phosphate are predictors of soluble α -klotho levels in adults of European descent.

Dhayat NA, Pruijm M, Ponte B, **Ackermann D**, Leichtle AB, Devuyst O, Ehret G, Guessous I, Pechère-Bertschi A, Pastor J, Martin PY, Burnier M, Fiedler GM, Vogt B, Moe OW, Bochud M, Fuster DG

J Clin Endocrinol Metab. 2020 Apr 1;105(4):1-9.

TNF α stimulates FGF23 levels in chronic kidney disease and non-renal inflammation.

Egli-Spichtig D, Imenez Silva PH, Glaudemans B, Gehring N, Bettoni C, Zhang M, Schönenberger D, Rajski M, Hoogewijs D, Knauf F, Misselwitz B, Frey-Wagner I, Rogler G, **Ackermann D**, Ponte B, Pruijm M, Leichtle A, Fiedler GM, Bochud M, Perwad F, Föller M, Lang F, Wenger R, Frew I, Wagner CA.

Kidney Int. 2019 Oct;96(4):890-905

Renal resistive index is associated with inactive matrix Gla (γ -carboxyglutamate) protein in an adult population-based study.

Jaques D, Pivin E, Pruijm M, **Ackermann D**, Guessous I, Ehret G, Pechère-Bertschi A, Vermeer C, Vogt B, Burnier M, Martin P-Y, Bochud M, Ponte B.

J Am Heart Assoc. 2019 Sep 17;8(18):e013558.

Use of day and night urinary iodine excretion to estimate the prevalence of inadequate iodine intakes via the estimated average requirement cut-point method.

Stalder E, Haldimann M, Blanc A, Dudler V, Ponte B, Pruijm M, **Ackermann D**, Bochud M.

Swiss Med Wkly. 2019 Jun 2;149:w20090.

Urinary sex steroid and glucocorticoid hormones are associated with muscle mass and strength in healthy adults.

Bochud M, Ponte B, Pruijm M, **Ackermann D**, Guessous I, Ehret G, Escher G, Groessl M, Estoppey Younes S, d'Uscio C, Burnier M, Martin P-Y, Pechère-Bertschi A, Vogt B, Dhayat N.

J Clin Endocrinol Metab. 2019 Jun 1;104(6):2195-2215.

Reference intervals for the urinary steroid metabolome: The impact of sex, age, day and night time on human adult steroidogenesis.

Ackermann D, Groessl M, Pruijm M, Ponte B, Escher G, d'Uscio C, Guessous I, Ehret G, Pechère-Bertschi A, Martin P-Y, Burnier M, Dick B, Vogt B, Bochud M, Rousson V, Dhayat N. PLoS One. 2019 Mar 29;14(3):e0214549.

Urinary steroid profiling in women hints at a diagnostic signature of the polycystic ovary syndrome: A pilot study considering neglected steroid metabolites.

Dhayat NA, Marti N, Kollmann Z, Troendle A, Bally L, Escher G, Grössl M, **Ackermann D**, Ponte B, Pruijm M, Müller M, Vogt B, Birkhäuser MH, Bochud M, Flück CE.. PLoS One. 2018 Oct 11;13(10):e0203903.

Association of 24-hour blood pressure with urinary sodium excretion in healthy adults.

van der Stouwe JG, Carmeli C, Aeschbacher S, Schoen T, Krisai P, Wenger G, Ehret G, Ponte B, Pruijm M, **Ackermann D**, Guessous I, Paccaud F, Pechère-Bertschi A, Vogt B, Mohaupt MG, Martin PY, Burnier M, Risch M, Risch L, Bochud M, Conen D. Am J Hypertens. 2018 Jun 11;31(7):784-791.

Urinary cadmium excretion is associated with increased synthesis of cortico- and sex steroids in a population study.

Bochud M, Jenny-Burri J, Pruijm M, Ponte B, Guessous I, Ehret G, Petrovic D, Dudler V, Haldimann M, Escher G, Dick B, Mohaupt M, Paccaud F, Burnier M, Pechère-Bertschi A, Martin PY, Vogt B, **Ackermann D**. J Clin Endocrinol Metab. 2018 Feb;1103(2):748-758.

A population-based approach to assess the heritability and distribution of renal handling of electrolytes.

Moulin F, Ponte B, Pruijm M, **Ackermann D**, Bouatou Y, Guessous I, Ehret G, Bonny O, Pechère-Bertschi A, Staessen JA, Paccaud F, Martin PY, Burnier M, Vogt B, Devuyst O, Bochud M. Kidney Int. 2017 Dec;92(6):1536-1543.

Fibroblast growth factor 23 and markers of mineral metabolism in individuals with preserved renal function.

Dhayat NA, **Ackermann D**, Pruijm M, Ponte B, Ehret G, Guessous I, Leichtle AB, Paccaud F, Mohaupt M, Fiedler GM, Devuyst O, Pechère-Bertschi A, Burnier M, Martin PY, Bochud M, Vogt B, Fuster DG. Kidney Int. 2016 Sep;90(3):648-57.

CYP17A1 enzyme activity is linked to ambulatory blood pressure in a family-based population study.

Ackermann D, Pruijm M, Ponte B, Guessous I, Ehret G, Escher G, Dick B, Al-Alwan H, Vuistiner P, Paccaud F, Burnier M, Pechère-Bertschi A, Martin PY, Vogt B, Mohaupt M, Bochud M. Am J Hypertens. 2016 Apr;29(4):484-93.

Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function.

Pattaro C, Teumer A, Gorski M, Chu AY, Li M, Mijatovic V, Garnaas M, Tin A, Sorice R, Li Y, Taliun D, Olden M, Foster M, Yang Q, Chen MH, Pers TH, Johnson AD, Ko YA, Fuchsberger C, Tayo B, Nalls M, Feitosa MF, Isaacs A, Dehghan A, d'Adamo P, Adeyemo A, Dieffenbach AK, Zonderman AB, Nolte IM, van der Most PJ, Wright AF, Shuldiner AR, Morrison AC, Hofman A, Smith AV, Dreisbach AW, Franke A, Uitterlinden AG, Metspalu A, Tonjes A, Lupo A, Robino A, Johansson Å, Demirkan A, Kollerits B, Freedman BI, Ponte B, Oostra BA, Paulweber B, Krämer BK, Mitchell BD, Buckley BM, Peralta CA, Hayward C, Helmer C, Rotimi CN, Shaffer CM, Müller C, Sala C, van Duijn CM, Saint-Pierre A, **Ackermann D**, Shiner D,

Ruggiero D, Toniolo D, Lu Y, Cusi D, Czamara D, Ellinghaus D, Siscovick DS, Ruderfer D, Gieger C, Grallert H, Rohtchina E, Atkinson EJ, Holliday EG, Boerwinkle E, Salvi E, Bottinger EP, Murgia F, Rivadeneira F, Ernst F, Kronenberg F, Hu FB, Navis GJ, Curhan GC, Ehret GB, Homuth G, Coassin S, Thun GA, Pistis G, Gambaro G, Malerba G, Montgomery GW, Eiriksdottir G, Jacobs G, Li G, Wichmann HE, Campbell H, Schmidt H, Wallaschofski H, Völzke H, Brenner H, Kroemer HK, Kramer H, Lin H, Leach IM, Ford I, Guessous I, Rudan I, Prokopenko I, Borecki I, Heid IM, Kolcic I, Persico I, Jukema JW, Wilson JF, Felix JF, Divers J, Lambert JC, Stafford JM, Gaspoz JM, Smith JA, Faul JD, Wang JJ, Ding J, Hirschhorn JN, Attia J, Whitfield JB, Chalmers J, Viikari J, Coresh J, Denny JC, Karjalainen J, Fernandes JK, Endlich K, Butterbach K, Keene KL, Lohman K, Portas L, Launer LJ, Lyytikäinen LP, Yengo L, Franke L, Ferrucci L, Rose LM, Kedenko L, Rao M, Struchalin M, Kleber ME, Cavalieri M, Haun M, Cornelis MC, Ciullo M, Pirastu M, de Andrade M, McEvoy MA, Woodward M, Adam M, Cocca M, Nauck M, Imboden M, Waldenberger M, Pruijm M, Metzger M, Stumvoll M, Evans MK, Sale MM, Kähönen M, Boban M, Bochud M, Rheinberger M, Verweij N, Bouatia-Naji N, Martin NG, Hastie N, Probst-Hensch N, Soranzo N, Devuyst O, Raitakari O, Gottesman O, Franco OH, Polasek O, Gasparini P, Munroe PB, Ridker PM, Mitchell P, Muntner P, Meisinger C, Smit JH; ICBP Consortium; AGEN Consortium; CARDIOGRAM; CHARGE-Heart Failure Group; ECHOGen Consortium, Kovacs P, Wild PS, Froguel P, Rettig R, Mägi R, Biffar R, Schmidt R, Middelberg RP, Carroll RJ, Penninx BW, Scott RJ, Katz R, Sedaghat S, Wild SH, Kardia SL, Ulivi S, Hwang SJ, Enroth S, Kloiber S, Trompet S, Stengel B, Hancock SJ, Turner ST, Rosas SE, Stracke S, Harris TB, Zeller T, Zemunik T, Lehtimäki T, Illig T, Aspelund T, Nikopensius T, Esko T, Tanaka T, Gyllenstein U, Völker U, Emilsson V, Vitart V, Aalto V, Gudnason V, Chouraki V, Chen WM, Igl W, März W, Koenig W, Lieb W, Loos RJ, Liu Y, Snieder H, Pramstaller PP, Parsa A, O'Connell JR, Susztak K, Hamet P, Tremblay J, de Boer IH, Böger CA, Goessling W, Chasman DI, Köttgen A, Kao WH, Fox CS.
Nat Commun. 2016 Jan 21;7:10023.

Heritability of ambulatory and office blood pressure in the Swiss population.

Alwan H, Ehret G, Ponte B, Pruijm M, **Ackermann D**, Guessous I, Staessen JA, Asayama K, Kutalik Z, Vuistiner P, Paccaud F, Pechere-Bertschi A, Mohaupt M, Vogt B, Martin PY, Burnier M, Bochud M.
J Hypertens. 2015 Oct;33(10):2061-7.

Inactive matrix Gla-protein is associated with arterial stiffness in an adult population-based study.

Pivin E, Ponte B, Pruijm M, **Ackermann D**, Guessous I, Ehret G, Liu YP, Drummen NE, Knapen MH, Pechere-Bertschi A, Paccaud F, Mohaupt M, Vermeer C, Staessen JA, Vogt B, Martin PY, Burnier M, Bochud M.
Hypertension. 2015 Jul;66(1):85-92.

Copeptin is associated with kidney length, renal function, and prevalence of simple cysts in a population-based study.

Ponte B, Pruijm M, **Ackermann D**, Vuistiner P, Guessous I, Ehret G, Alwan H, Youhanna S, Paccaud F, Mohaupt M, Pêche-Bertschi A, Vogt B, Burnier M, Martin PY, Devuyst O, Bochud M.
J Am Soc Nephrol. 2015 Jun;26(6):1415-25.

Associations of ambulatory blood pressure with urinary caffeine and caffeine metabolite excretions.

Guessous I, Pruijm M, Ponte B, **Ackermann D**, Ehret G, Ansermot N, Vuistiner P, Staessen J, Gu Y, Paccaud F, Mohaupt M, Vogt B, Pêche-Bertschi A, Martin PY, Burnier M, Eap CB, Bochud M.
Hypertension. 2015 Mar;65(3):691-6.

New anthropometry-based age- and sex-specific reference values for urinary 24-hour creatinine excretion based on the adult Swiss population.

Forni Ognà V, Ognà A, Vuistiner P, Pruijm M, Ponte B, **Ackermann D**, Gabutti L, Vakilzadeh N, Mohaupt M, Martin PY, Guessous I, Péchère-Bertschi A, Paccaud F, Bochud M, Burnier M; Swiss Survey on Salt Group.
BMC Med. 2015 Feb 27;13:40.

Epidemiology of masked and white-coat hypertension: the family-based SKIPOGH study.

Alwan H, Pruijm M, Ponte B, **Ackermann D**, Guessous I, Ehret G, Staessen JA, Asayama K, Vuistiner P, Younes SE, Paccaud F, Wuerzner G, Pechere-Bertschi A, Mohaupt M, Vogt B, Martin PY, Burnier M, Bochud M.
PLoS One. 2014 Mar 24;9(3):e92522.

Reference values and factors associated with renal resistive index in a family-based population study.

Ponte B, Pruijm M, **Ackermann D**, Vuistiner P, Eisenberger U, Guessous I, Rousson V, Mohaupt MG, Alwan H, Ehret G, Pechere-Bertschi A, Paccaud F, Staessen JA, Vogt B, Burnier M, Martin PY, Bochud M.
Hypertension. 2014 Jan;63(1):136-42.

Heritability, determinants and reference values of renal length: a family-based population study.

Prujm M, Ponte B, **Ackermann D**, Vuistiner P, Paccaud F, Guessous I, Ehret G, Eisenberger U, Mohaupt M, Burnier M, Martin PY, Bochud M.
Eur Radiol. 2013 Oct;23(10):2899-905.

Uninephrectomy reduces 11 β -hydroxysteroid dehydrogenase type 1 and type 2 concomitantly with an increase in blood pressure in rats.

Lauterburg M, Escher G, Dick B, **Ackermann D**, Frey FJ.
J Endocrinol. 2012 Sep;214(3):373-80.

In vivo nuclear translocation of mineralocorticoid and glucocorticoid receptors in rat kidney: differential effect of corticosteroids along the distal tubule.

Ackermann D, Gresko N, Carrel M, Loffing-Cueni D, Habermehl D, Gomez-Sanchez C, Rossier BC, Loffing J.
Am J Physiol Renal Physiol. 2010 Dec;299(6):F1473-85.

Inhibition of 11 β -hydroxysteroid dehydrogenase by bile acids in rats with cirrhosis.

Ackermann D, Vogt B, Escher G, Dick B, Reichen J, Frey BM, Frey FJ.
Hepatology. 1999 Sep;30(3):623-9.